

Product Specifications

Reclining & Lifting Bathtub GK RELAX M (with manual door) with **electronic control touch panel, electrically height-adjustable**

Description

- Tub body and casing constructed of fibreglass with a gelcoated surface
- Incorporated seat with ergonomically designed back rest, raised head rest and drain gutter from the seat pan
- Circulating rubber protection for tub
- Door for easy entrance, manual upwards opening and closing
- Double lip seal for lateral door with high contact pressure from the door lock
- System is free-standing, without wall or necessary floor mounting
- 4 height-adjustable feet
- Ground clearance for mobile lifts
- Tub fill controllable via touch panel
- Adjustment of temperature via thermostatic mixing valve with digital display of temperature
- Scald protection system via electronic monitoring of temperature
- Patient shower, controllable via the touch panel, with white hose 2,100 mm (6' 11") and self-closing valve on the shower handle
- Manual drain assembly
- Electrical spindle stroke drive for lifting and lowering controllable via hand control
- Electrical spindle drive for incline adjustment
- Battery for emergency operation in case of power failure
- Standard, commercially available valves and fittings
- Connection hoses for cold and hot water
- Drain hose DN 50 (2")

Technical Specifications

Connections:

- Hot and cold water, connector ½"
- Drain Ø 50 mm (2")
- Electrical requirements 230 V / 50 Hz; for other countries 115 V / 60 Hz

Dimensions:

- Height: 1300 mm – 1450 mm, Width: 780 mm, Length: 1830/2050 mm
- Entrance height: 475 mm

Net Weight:

- Approx. 150 kg

Water Consumption for a Bath:

- Approx. 180 litres (prefill of foot area: approx. 90 litres)

Certificates

- ÖVGW, CE mark

Make: Krämer
Type: GK RELAX M
Art.No.: 6.200.01

Product Specifications

Options for GK RELAX

Injector Disinfection

- Disinfection shower, operated via the touch panel, with red hose 2,000 mm (6' 7") and self-closing valve on handle
- System suitable for 5 L containers
- Feed of the disinfection liquid via injector and adjustable flow gauge
- Full tub does not allow procedure of disinfection
- Conventional disinfection or compulsory disinfection can be programmed

Make: Krämer
Type: GK RELAX D
Art.No.: 6.200.10

Shampoo- and Bathoil Dispenser

- Built in shampoo and bath additive dispenser
- Activation via touch panel

Make: Krämer
Type: GK RELAX SHA
Art.No.: 6.200.20

Hydromassage with 2 Jets

- Patented jet system, no plumbing or tubing running between jets, self-draining and disinfect able, ergonomically integrated with 2 jets in foot area of the tub
- Direction and intensity of jets adjustable
- Controlled via touch panel
- Flow rate up to 1.5 L/s at a pressure regulation of 0 - 3 bar
- Automatic draining of standing water in jets after disinfection

Make: Krämer
Type: GK RELAX H2
Art.No.: 6.200.30

Safety Bar

- One safety bar opposite to the door for extra support

Make: Krämer
Type: GK RELAX HA
Art.No.: 6.200.40

Leg Rest Stackable

- Support for elevation of legs that can be hooked onto the tub edge

Make: Krämer
Type: GK RELAX BA
Art.No.: 6.200.70

Backflow Preventer 12/12

- Backflow preventer for the sanitary piping

Make: Krämer
Type: GK RELAX SY
Art.No.: 6.200.93

Sound & Vision 3 Spots

(only without Shampoo- and Bathoil Dispenser)

Sound – 2 loud speakers laminated into the tub on the right and left side; transmission of the sound waves into the water through the tub body used as sound body

- Individual music selection through build-in MP3 player with USB port
- Volume adjustment and track selection on the touch panel

Vision – 3 LED spotlights, integrated into the tub body, are flooding the bathing water with light in one of five pre-set colours or are shining in a gentle continuous colour change.

- Operation on/off/colour change on the touch panel

Make: Krämer
Type: GK RELAX SV
Art.No.: 1.500.60

Connector with Massage Tube

(only in connection with hydro massage)

- For pressure jet massage treatment including massage tube and nozzle

Make: Krämer
Type: GK RELAX AK
Art.No.: 1.500.70

Underwater Light with Colour Change

- Build into the foot end of the tub
- Activated via touch panel
- Activation possible only after water reaches fill level
- Automatic shut off when bathing process is complete

Make: Krämer
Type: GK RELAX UB
Art.No.: 1.561.01

Turn Button Special 42 °C

(only with 1/2" piping)

- Temperature adjustment with more security; without special tools it cannot be turned up to more than 42 °C (value adjustable)

Make: Krämer
Type: GK RELAX DS42
Art.No.: 4.201.03

Extra Charge for Thermostat 3/4"

- Thermostatic mixing valve as 3/4" model instead of 1/2"

Make: Krämer
Type: GK RELAX T3/4
Art.No.: 6.216.00